



JOHN GEORGE

Delivering Performance Since 1725

johngeorge.co.uk

sales@johngeorge.co.uk

Wholesale distributors to merchants
in the building, roofing, fencing and agricultural trades

Product Information

Telescopic Underfloor Vent

Provides a clear airflow passage to a void underneath an insulated suspended floor.




The telescopic underfloor void ventilator offers a vertical telescopic adjustment of between 3 and 5 brick courses, although adding an extension sleeve can increase this by 2 course adjustments. The rear of the vent features a rodent grille consisting of evenly spaced slots specifically sized to prohibit entry and building debris which could block the vent.

Designed to be used with a combination airbrick.



Installation

1. Should be installed during the normal course of bricklaying.
2. If fitted above the DPC then a suitable cavity tray should be fitted above the vent.
3. Should be fitted in at least two opposing walls to create a through flow.
4. Should be placed at not more than two metre centres and within 450mm of each end of the wall.
5. Bricklaying should then be completed as normal although care should be taken to keep the airflow passage clear from mortar droppings.
6. Should be used in conjunction with an airbrick, and possibly an extension sleeve.



See overleaf for course calculations

WEST:

Tel: 01275 335810 Fax: 01275 349203

CENTRAL:

Tel: 0118 941 1234 Fax: 0118 945 1059

EAST:

Tel: 01268 663130 Fax: 01268 663131



**JOHN
GEORGE**

Delivering Performance Since 1725







johngeorge.co.uk
sales@johngeorge.co.uk

Wholesale distributors to merchants
in the building, roofing, fencing and agricultural trades

**Course
Calculations**

Telescopic Underfloor Vent & Extension Sleeve

In conjunction with the extension sleeve, the telescopic underfloor vent can be extended to achieve any number of courses.



WEST:

Tel: 01275 335810 Fax: 01275 349203

CENTRAL:

Tel: 0118 941 1234 Fax: 0118 945 1059

EAST:

Tel: 01268 663130 Fax: 01268 663131